

Hik-Connect Client Software

V3.1.0 0828(Android)

V3.1.0 170830(iOS)

Release Notes

(2017-09-07)

Hik-Connect Version 3.1.0:

➤ Key Features

● Optimize Login Page

- ◆ Hik-Connect account and email address are displayed default, customer can change to login by phone number.

● Optimize Home Page, support witching between screenshot mode and the list mode

- ◆ In screenshot mode, device channels will be expanded and displayed as thumbnails from live view.
- ◆ In screenshot mode, favorite folder and select all aren't supported.
- ◆ Hik-Connect account with a few channels is recommend to use this screenshot mode.
- ◆ Screenshot mode path: More→ Screenshot.

● Optimize Sharing Settings

- ◆ Live view and playback permissions are shared as default, customer can select other sharing permissions like two-way audio, PTZ control, alarm push.
- ◆ Sharing on web portal: support selecting sharing permissions in batch.
- ◆ Sharing on web portal: support searching devices by device name or serial number.
- ◆ Shared devices support capture and record manually via Hik-Connect APP.
- ◆ Add optical zoom and preset function to PTZ control permission.

● Optimize Live View Module

- ◆ Support changing video qualities in landscape mode.
- ◆ Improve PTZ control UI.

- ◆ Support traffic statistic display.
- Optimize Playback Module
 - ◆ Support select date before start to playback.
- Optimize settings
 - ◆ Traffic statistic: all traffic statistic will be displayed here.

Hik-Connect Client Software

V3.0.0 0703(Android)

V3.0.0 170627(iOS)

Release Notes

(2017-07-04)

Hik-Connect Version 3.0.0:

- Key Features
 - Optimize Home Page
 - ◆ Optimize UI display: Integrate Hik-Connect page with Device page in Home page
 - ◆ Add the device management icon and the playback icon in Home page
 - ◆ Add cameras to the favorites folder; Up to 32 cameras can be added
 - ◆ Restore last camera selection
 - Optimize Device Adding Methods
 - ◆ Add devices by scanning QR code
 - ◆ Add devices manually via Hik-Connect Domain, IP/Domain, or Pyronix control panel
 - ◆ Search and add online devices in LAN
 - Optimize Device Management
 - ◆ All devices are displayed in the same module
 - ◆ Support favorites folder management
 - ◆ Arm or disarm the zone of security control panel

- ◆ Support alarm notification for NVRs and DVRs
- Optimize Live View Module
 - ◆ One-click selection of all channels that linked to the multi-channel devices (Up to 32 channels can be selected)
 - ◆ One-click live view of multiple channels (Up to 32 channels can be selected for live view)
 - ◆ Restore last window division mode
 - ◆ Slide to switch the camera in live view
 - ◆ Update player; improve the live view streaming speed
 - ◆ Control PTZ speed (The function should be supported by the device)
 - ◆ Set and call preset (The function should be supported by the device)
 - ◆ Optimize error code prompt
- Optimize Playback Module
 - ◆ Select channels for playback
 - ◆ 4-division window in playback
 - ◆ Due to the device capability, one device only supports starting playback in one channel
- Add Video Sharing Function
 - ◆ Support video sharing function and setting permissions when sharing
 - ◆ Receive and reject video sharing notifications
 - ◆ Manage sharing settings

Hik-Connect Web Portal (V2.0.0):

➤ Key Features

- Video Sharing function
 - ◆ Support sharing cameras to the account that registered in the same server
 - ◆ Support setting permissions like live view, playback, two-way audio, alarm push and PTZ control when sharing cameras
 - ◆ Support contacts management
 - ◆ Support receiving or rejecting new sharing
 - ◆ Support deleting the sharing

Live View Performance Testing Result (Test Device: iphone6):

Resolution	1CH	4CH	9CH	16CH
HD1080P	√	√	NA	NA
XVGA	√	√	NA	NA
HD720P	√	√	NA	NA
WD1	√	√	NA	NA
4CIF	√	√	NA	NA
VGA	√	√	√	√
CIF	√	√	√	√
QVGA	√	√	√	√
QCIF	√	√	√	√

Notes: the result may be varied depends on the phone performance and network bandwidth.

Hik-Connect Client Software

V2.1.0 0424(Android)

V2.1.0 170424(iOS)

Release Notes

(2017-04-24)

Hik-Connect Version 2.1.0:

➤ Key Features

- Optimize live view interface: The Hik-Connect device's live view module and Device live view module use the same live view interface.
- Support Pyronix control panel management, including adding, arming, disarming and alarm notifying.
- Add Help document
- Support timeline scaling when playback.
- Support PTZ control while playing live view in full screen mode. (The PTZ button should be tapped.
- Support both optical zoom and digital zoom control. (The function should be supported by the device.
- Optimize the intercom device performance:
 - Support modifying the intercom device alias.
 - Two way audio button will displayed according device capability.
 - Optimize calling function for android: The call will last for 30 seconds and the calling message will be popped up when the phone screen is locked.
 - Optimize calling function for iOS: support receiving calling message when the phone screen is locked and iphone will be vibrated for 30 seconds.
- Add 19 languages including Estonian, Slovak (**only for iOS version, not ready for Android version**), Danish, Swedish, Norwegian, Finnish, Croatian, Slovenian, Serbian, Turkish, Chinese Traditional, Thai, Japanese, Lithuanian, Brazilian Portuguese, Persian, Indonesian, Uzbek, and Kazak.

Hik-Connect Version 2.0.2:

➤ Key Features

- Support sharing device domain to other accounts
- Support adding the devices via Hik-Connect Domain that shared by others.
- Optimize push notification.
- Translation optimized.

Hik-Connect Version 2.0.0:

➤ Key Features

- Support adding the devices without logging in (South America).
- Support adding the devices via IP/Domain.
- Support adding the device via Hik-Connect Domain.

Hik-Connect Version 1.3.1:

➤ Key Features

- Support 9-division, 12-division, and 16-division in live view module
- Support 19 languages, Arabic, Bulgarian, Czech, Chinese, Dutch, English, French, German, Greek, Hebrew, Hungarian, Italian, Latvian, Polish, Portuguese, Romanian, Russian, Spanish, and Vietnamese. The client language follows the phone language settings.

Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action. For any questions and request for this firmware, please contact our local technical support team.

Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou 310051, China
Tel: +86-571-8807-5998
FAX: +86-571-8993-5635
Email: overseabusiness@hikvision.com